



FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY


GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

Válečkové stolice DACH

U70/50/4 - U220-

Verze: 2015-10-26



| BB(mm) | Úhel ° | D (mm) | Základna (mm) | RL (mm) | h (mm) | A (mm) | E (mm) | X (mm) | H1 (mm) | Artikl |
|--------|--------|---------|---------------|---------|--------|--------|--------|---------|----------|----------------------------------|
| 650 | 10 | 63,5 | U70/50/4 | 380 | 40 | 890 | 950 | 70 | 170 | DACH-U7006510040 |
| 650 | 15 | 63,5 | U70/50/4 | 380 | 40 | 890 | 950 | 70 | 170 | DACH-U7006515040 |
| 650 | 10 | 89 | U70/50/4 | 380 | 50 | 890 | 950 | 70 | 170 | DACH-U7006510050 |
| 650 | 15 | 89 | U70/50/4 | 380 | 50 | 890 | 950 | 70 | 170 | DACH-U7006515050 |
| 650 | 10 | 108,133 | U70/50/4 | 380 | 60 | 890 | 950 | 70(100) | 170(200) | DACH-U7006510060 |
| 650 | 15 | 108,133 | U70/50/4 | 380 | 60 | 890 | 950 | 70(100) | 170(200) | DACH-U7006515060 |
| 650 | 10 | 63,5 | U80 | 380 | 40 | 890 | 950 | 70 | 170 | DACH-U8006510040 |
| 650 | 15 | 63,5 | U80 | 380 | 40 | 890 | 950 | 70 | 170 | DACH-U8006515040 |
| 650 | 10 | 89 | U80 | 380 | 50 | 890 | 950 | 70 | 170 | DACH-U8006510050 |
| 650 | 15 | 89 | U80 | 380 | 50 | 890 | 950 | 70 | 170 | DACH-U8006515050 |
| 650 | 10 | 108,133 | U80 | 380 | 60 | 890 | 950 | 70(100) | 170(200) | DACH-U8006510060 |
| 650 | 15 | 108,133 | U80 | 380 | 60 | 890 | 950 | 70(100) | 170(200) | DACH-U8006515060 |
| 800 | 10 | 63,5 | U80 | 465 | 40 | 1090 | 1150 | 70 | 170 | DACH-U8008010040 |
| 800 | 15 | 63,5 | U80 | 465 | 40 | 1090 | 1150 | 70 | 170 | DACH-U8008015040 |
| 800 | 10 | 89 | U80 | 465 | 50 | 1090 | 1150 | 70 | 170 | DACH-U8008010050 |
| 800 | 15 | 89 | U80 | 465 | 50 | 1090 | 1150 | 70 | 170 | DACH-U8008015050 |
| 800 | 10 | 108,133 | U80 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | DACH-U8008010060 |
| 800 | 15 | 108,133 | U80 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | DACH-U8008015060 |

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gkt@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

| | | | | | | | | | | |
|------|----|---------|------|-----|----|------|------|---------|----------|-------------------------|
| 800 | 10 | 63,5 | U100 | 465 | 40 | 1090 | 1150 | 70 | 170 | <i>DACH-U1008010040</i> |
| 800 | 15 | 63,5 | U100 | 465 | 40 | 1090 | 1150 | 70 | 170 | <i>DACH-U1008015040</i> |
| 800 | 10 | 89 | U100 | 465 | 50 | 1090 | 1150 | 70 | 170 | <i>DACH-U1008010050</i> |
| 800 | 15 | 89 | U100 | 465 | 50 | 1090 | 1150 | 70 | 170 | <i>DACH-U1008015050</i> |
| 800 | 10 | 108,133 | U100 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | <i>DACH-U1008010060</i> |
| 800 | 15 | 108,133 | U100 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | <i>DACH-U1008015060</i> |
| 1000 | 10 | 89 | U100 | 600 | 50 | 1290 | 1350 | 70 | 170 | <i>DACH-U1010010050</i> |
| 1000 | 15 | 89 | U100 | 600 | 50 | 1290 | 1350 | 70 | 170 | <i>DACH-U1010015050</i> |
| 1000 | 10 | 108 | U100 | 600 | 60 | 1290 | 1350 | 70 | 170 | <i>DACH-U1010010060</i> |
| 1000 | 15 | 108 | U100 | 600 | 60 | 1290 | 1350 | 70 | 170 | <i>DACH-U1010015060</i> |
| 1000 | 10 | 133 | U100 | 600 | 70 | 1290 | 1350 | 100 | 200 | <i>DACH-U1010010070</i> |
| 1000 | 15 | 133 | U100 | 600 | 70 | 1290 | 1350 | 100 | 200 | <i>DACH-U1010015070</i> |
| 1000 | 10 | 89 | U120 | 600 | 50 | 1290 | 1350 | 70 | 170 | <i>DACH-U1210010050</i> |
| 1000 | 15 | 89 | U120 | 600 | 50 | 1290 | 1350 | 70 | 170 | <i>DACH-U1210015050</i> |
| 1000 | 10 | 108 | U120 | 600 | 60 | 1290 | 1350 | 70 | 170 | <i>DACH-U1210010060</i> |
| 1000 | 15 | 108 | U120 | 600 | 60 | 1290 | 1350 | 70 | 17 | <i>DACH-U1210015060</i> |
| 1000 | 10 | 133,159 | U120 | 600 | 70 | 1290 | 1350 | 100 | 200(220) | <i>DACH-U1210010070</i> |
| 1000 | 15 | 133,159 | U120 | 600 | 70 | 1290 | 1350 | 100 | 200(220) | <i>DACH-U1210015070</i> |
| 1200 | 10 | 89 | U100 | 700 | 50 | 1540 | 1600 | 60 | 170 | <i>DACH-U1012010050</i> |
| 1200 | 15 | 89 | U100 | 700 | 50 | 1540 | 1600 | 60 | 170 | <i>DACH-U1012015050</i> |
| 1200 | 10 | 108 | U100 | 700 | 60 | 1540 | 1600 | 70 | 190 | <i>DACH-U1012010060</i> |
| 1200 | 15 | 108 | U100 | 700 | 60 | 1540 | 1600 | 70 | 190 | <i>DACH-U1012015060</i> |
| 1200 | 10 | 133,159 | U100 | 700 | 70 | 1540 | 1600 | 100 | 220 | <i>DACH-U1012010070</i> |
| 1200 | 15 | 133,159 | U100 | 700 | 70 | 1540 | 1600 | 100 | 220 | <i>DACH-U1012015070</i> |
| 1200 | 10 | 89 | U120 | 700 | 50 | 1540 | 1600 | 60 | 170 | <i>DACH-U1212010050</i> |
| 1200 | 15 | 89 | U120 | 700 | 50 | 1540 | 1600 | 60 | 170 | <i>DACH-U1212015050</i> |
| 1200 | 10 | 108 | U120 | 700 | 60 | 1540 | 1600 | 70 | 190 | <i>DACH-U1212010060</i> |
| 1200 | 15 | 108 | U120 | 700 | 60 | 1540 | 1600 | 70 | 190 | <i>DACH-U1212015060</i> |
| 1200 | 10 | 133,159 | U120 | 700 | 70 | 1540 | 1600 | 100 | 220 | <i>DACH-U1212010070</i> |
| 1200 | 15 | 133,159 | U120 | 700 | 70 | 1540 | 1600 | 100 | 220 | <i>DACH-U1212015070</i> |
| 1400 | 10 | 108 | U120 | 800 | 60 | 1740 | 1800 | 70 | 190 | <i>DACH-U1214010060</i> |
| 1400 | 15 | 108 | U120 | 800 | 60 | 1740 | 1800 | 70 | 190 | <i>DACH-U1214015060</i> |
| 1400 | 10 | 133 | U120 | 800 | 70 | 1740 | 1800 | 70 | 190 | <i>DACH-U1214010070</i> |
| 1400 | 15 | 133 | U120 | 800 | 70 | 1740 | 1800 | 70 | 190 | <i>DACH-U1214015070</i> |
| 1400 | 10 | 159 | U120 | 800 | 80 | 1740 | 1800 | 100 | 220 | <i>DACH-U1214010080</i> |
| 1400 | 15 | 159 | U120 | 800 | 80 | 1740 | 1800 | 100 | 220 | <i>DACH-U1214015080</i> |
| 1400 | 10 | 108 | U140 | 800 | 60 | 1740 | 1800 | 70 | 190 | <i>DACH-U1414010060</i> |
| 1400 | 15 | 108 | U140 | 800 | 60 | 1740 | 1800 | 70 | 190 | <i>DACH-U1414015060</i> |
| 1400 | 10 | 133 | U140 | 800 | 70 | 1740 | 1800 | 70 | 190 | <i>DACH-U1414010070</i> |
| 1400 | 15 | 133 | U140 | 800 | 70 | 1740 | 1800 | 70 | 190 | <i>DACH-U1414015070</i> |
| 1400 | 10 | 159 | U140 | 800 | 80 | 1740 | 1800 | 100 | 220 | <i>DACH-U1414010080</i> |
| 1400 | 15 | 159 | U140 | 800 | 80 | 1740 | 1800 | 100 | 220 | <i>DACH-U1414015080</i> |
| 1600 | 10 | 108 | U140 | 900 | 60 | 1990 | 2050 | 70 | 190 | <i>DACH-U1416010070</i> |
| 1600 | 15 | 108 | U140 | 900 | 60 | 1990 | 2050 | 70 | 190 | <i>DACH-U1416015060</i> |
| 1600 | 10 | 133 | U140 | 900 | 70 | 1990 | 2050 | 70 | 190 | <i>DACH-U1416010070</i> |
| 1600 | 15 | 133 | U140 | 900 | 70 | 1990 | 2050 | 70 | 190 | <i>DACH-U1416015070</i> |
| 1600 | 10 | 159 | U140 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1416010080</i> |
| 1600 | 15 | 159 | U140 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1416015080</i> |
| 1600 | 10 | 108 | U160 | 900 | 60 | 1990 | 2050 | 70 | 190 | <i>DACH-U1616010060</i> |
| 1600 | 15 | 108 | U160 | 900 | 60 | 1990 | 2050 | 70 | 190 | <i>DACH-U1616015060</i> |
| 1600 | 10 | 133 | U160 | 900 | 70 | 1990 | 2050 | 70 | 190 | <i>DACH-U1616010070</i> |
| 1600 | 15 | 133 | U160 | 900 | 70 | 1990 | 2050 | 70 | 190 | <i>DACH-U1616015070</i> |

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republic, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: gtk@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

| | | | | | | | | | | |
|------|----|---------|------|------|----|------|------|----------|----------|-------------------------|
| 1600 | 10 | 159 | U160 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1616010080</i> |
| 1600 | 15 | 159 | U160 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1616015080</i> |
| 1600 | 10 | 159 | U180 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1816010080</i> |
| 1600 | 15 | 159 | U180 | 900 | 80 | 1990 | 2050 | 100 | 220 | <i>DACH-U1816015080</i> |
| 1600 | 10 | 194,219 | U180 | 900 | 90 | 1990 | 2050 | 100(130) | 220(270) | <i>DACH-U1816010090</i> |
| 1600 | 15 | 194,219 | U180 | 900 | 90 | 1990 | 2050 | 100(130) | 220(270) | <i>DACH-U1816015090</i> |
| 1800 | 10 | 133 | U160 | 1000 | 70 | 2190 | 2250 | 100 | 240 | <i>DACH-U1618010070</i> |
| 1800 | 15 | 133 | U160 | 1000 | 70 | 2190 | 2250 | 100 | 240 | <i>DACH-U1618015070</i> |
| 1800 | 10 | 159 | U180 | 1000 | 80 | 2190 | 2250 | 100 | 240 | <i>DACH-U1818010080</i> |
| 1800 | 15 | 159 | U180 | 1000 | 80 | 2190 | 2250 | 100 | 240 | <i>DACH-U1818015080</i> |
| 1800 | 10 | 194,219 | U200 | 1000 | 90 | 2190 | 2250 | 130 | 270 | <i>DACH-U2018010090</i> |
| 1800 | 15 | 194,219 | U200 | 1000 | 90 | 2190 | 2250 | 130 | 270 | <i>DACH-U2018015090</i> |
| 2000 | 10 | 133 | U180 | 1100 | 70 | 2440 | 2500 | 100 | 240 | <i>DACH-U1820010070</i> |
| 2000 | 15 | 133 | U180 | 1100 | 70 | 2440 | 2500 | 100 | 240 | <i>DACH-U1820015070</i> |
| 2000 | 10 | 159 | U180 | 1100 | 80 | 2440 | 2500 | 100 | 240 | <i>DACH-U1820010080</i> |
| 2000 | 15 | 159 | U180 | 1100 | 80 | 2440 | 2500 | 100 | 240 | <i>DACH-U1820015080</i> |
| 2000 | 10 | 159 | U200 | 1100 | 80 | 2440 | 2500 | 100 | 240 | <i>DACH-U2020010080</i> |
| 2000 | 15 | 159 | U200 | 1100 | 80 | 2440 | 2500 | 100 | 240 | <i>DACH-U2020015080</i> |
| 2000 | 10 | 194,219 | U220 | 1100 | 90 | 2440 | 2500 | 130 | 270 | <i>DACH-U2220010090</i> |
| 2000 | 15 | 194,219 | U220 | 1100 | 90 | 2440 | 2500 | 130 | 270 | <i>DACH-U2220015090</i> |



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gktupesy.cz, www.gktupesy.cz

