



# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY




GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

## Válečkové stolice LESO

U100-U160-DIN 1026

Verze: 2012-05-15



BB(mm)	Úhel°	D(mm)	RL1(mm)	U(mm)	A(mm)	E(mm)	s(mm)	h(mm)	P(mm)	Artikl
400	15	63	160	U100	640	700	30	125	140	<a href="#">LESO04015125-063</a>
400	20	63	160	U100	640	700	30	125	140	<a href="#">LESO04020125-063</a>
400	25	63	160	U100	640	700	30	125	140	<a href="#">LESO04025125-063</a>
400	30	63	160	U100	640	700	30	125	140	<a href="#">LESO04030125-063</a>
400	35	63	160	U100	640	700	30	125	140	<a href="#">LESO04035125-063</a>
400	40	63	160	U100	640	700	30	125	140	<a href="#">LESO04040125-063</a>
400	45	63	160	U100	640	700	30	125	140	<a href="#">LESO04045125-063</a>
400	15	89	160	U100	640	700	30	125	150	<a href="#">LESO04015125-089</a>
400	20	89	160	U100	640	700	30	125	150	<a href="#">LESO04020125-089</a>
400	25	89	160	U100	640	700	30	125	150	<a href="#">LESO04025125-089</a>
400	30	89	160	U100	640	700	30	125	150	<a href="#">LESO04030125-089</a>
400	35	89	160	U100	640	700	30	125	150	<a href="#">LESO04035125-089</a>
400	40	89	160	U100	640	700	30	125	150	<a href="#">LESO04040125-089</a>
400	45	89	160	U100	640	700	30	125	150	<a href="#">LESO04045125-089</a>
400	15	108	160	U100	640	700	30	125	160	<a href="#">LESO04015125-108</a>
400	20	108	160	U100	640	700	30	125	160	<a href="#">LESO04020125-108</a>
400	25	108	160	U100	640	700	30	125	160	<a href="#">LESO04025125-108</a>
400	30	108	160	U100	640	700	30	125	160	<a href="#">LESO04030125-108</a>

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899  
e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

400	35	108	160	U100	640	700	30	125	160	<a href="#">LESO04035125-108</a>
400	40	108	160	U100	640	700	30	125	160	<a href="#">LESO04040125-108</a>
400	45	108	160	U100	640	700	30	125	160	<a href="#">LESO04045125-108</a>
500	15	63	200	U100	740	800	30	125	140	<a href="#">LESO05015125-063</a>
500	20	63	200	U100	740	800	30	125	140	<a href="#">LESO05020125-063</a>
500	25	63	200	U100	740	800	30	125	140	<a href="#">LESO05025125-063</a>
500	30	63	200	U100	740	800	30	125	140	<a href="#">LESO05030125-063</a>
500	35	63	200	U100	740	800	30	125	140	<a href="#">LESO05035125-063</a>
500	40	63	200	U100	740	800	30	125	140	<a href="#">LESO05040125-063</a>
500	45	63	200	U100	740	800	30	125	140	<a href="#">LESO05045125-063</a>
500	15	89	200	U100	740	800	30	125	150	<a href="#">LESO05015125-089</a>
500	20	89	200	U100	740	800	30	125	150	<a href="#">LESO05020125-089</a>
500	25	89	200	U100	740	800	30	125	150	<a href="#">LESO05025125-089</a>
500	30	89	200	U100	740	800	30	125	150	<a href="#">LESO05030125-089</a>
500	35	89	200	U100	740	800	30	125	150	<a href="#">LESO05035125-089</a>
500	40	89	200	U100	740	800	30	125	150	<a href="#">LESO05040125-089</a>
500	45	89	200	U100	740	800	30	125	150	<a href="#">LESO05045125-089</a>
500	15	108	200	U100	740	800	30	125	160	<a href="#">LESO05015125-108</a>
500	20	108	200	U100	740	800	30	125	160	<a href="#">LESO05020125-108</a>
500	25	108	200	U100	740	800	30	125	160	<a href="#">LESO05025125-108</a>
500	30	108	200	U100	740	800	30	125	160	<a href="#">LESO05030125-108</a>
500	35	108	200	U100	740	800	30	125	160	<a href="#">LESO05035125-108</a>
500	40	108	200	U100	740	800	30	125	160	<a href="#">LESO05040125-108</a>
500	45	108	200	U100	740	800	30	125	160	<a href="#">LESO05045125-108</a>
650	15	63	250	U100	890	950	30	125	140	<a href="#">LESO06515125-063</a>
650	20	63	250	U100	890	950	30	125	140	<a href="#">LESO06520125-063</a>
650	25	63	250	U100	890	950	30	125	140	<a href="#">LESO06525125-063</a>
650	30	63	250	U100	890	950	30	125	140	<a href="#">LESO06530125-063</a>
650	35	63	250	U100	890	950	30	125	140	<a href="#">LESO06535125-063</a>
650	40	63	250	U100	890	950	30	125	140	<a href="#">LESO06540125-063</a>
650	45	63	250	U100	890	950	30	125	140	<a href="#">LESO06545125-063</a>
650	15	89	250	U100	890	950	30	125	150	<a href="#">LESO06515125-089</a>
650	20	89	250	U100	890	950	30	125	150	<a href="#">LESO06520125-089</a>
650	25	89	250	U100	890	950	30	125	150	<a href="#">LESO06525125-089</a>
650	30	89	250	U100	890	950	30	125	150	<a href="#">LESO06530125-089</a>
650	35	89	250	U100	890	950	30	125	150	<a href="#">LESO06535125-089</a>
650	40	89	250	U100	890	950	30	125	150	<a href="#">LESO06540125-089</a>
650	45	89	250	U100	890	950	30	125	150	<a href="#">LESO06545125-089</a>
650	15	108	250	U100	890	950	30	135	160	<a href="#">LESO06515135-108</a>
650	20	108	250	U100	890	950	30	135	160	<a href="#">LESO06520135-108</a>
650	25	108	250	U100	890	950	30	135	160	<a href="#">LESO06525135-108</a>
650	30	108	250	U100	890	950	30	135	160	<a href="#">LESO06530135-108</a>
650	35	108	250	U100	890	950	30	135	160	<a href="#">LESO06535135-108</a>
650	40	108	250	U100	890	950	30	135	160	<a href="#">LESO06540135-108</a>
650	45	108	250	U100	890	950	30	135	160	<a href="#">LESO06545135-108</a>
800	15	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08015135-089</a>
800	20	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08020125-089</a>
800	25	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08025125-089</a>
800	30	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08030125-089</a>
800	35	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08035125-089</a>
800	40	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08040125-089</a>
800	45	89	315	U100	1090	1150	30	125	150	<a href="#">LESO08045125-089</a>

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gk@gtktupesy.cz](mailto:gk@gtktupesy.cz), [www.gtktupesy.cz](http://www.gtktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

800	15	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08015135-108</a>
800	20	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08020135-108</a>
800	25	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08025135-108</a>
800	30	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08030135-108</a>
800	35	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08035135-108</a>
800	40	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08040135-108</a>
800	45	108	315	U100	1090	1150	30	135	160	<a href="#">LESO08045135-108</a>
800	15	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08015150-133</a>
800	20	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08020150-133</a>
800	25	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08025150-133</a>
800	30	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08030150-133</a>
800	35	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08035150-133</a>
800	40	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08040150-133</a>
800	45	133	315	U100	1090	1150	30	150	170	<a href="#">LESO08045150-133</a>
1000	15	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10015125-089</a>
1000	20	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10020125-089</a>
1000	25	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10025125-089</a>
1000	30	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10030125-089</a>
1000	35	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10035125-089</a>
1000	40	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10040125-089</a>
1000	45	89	380	U100	1290	1350	30	125	150	<a href="#">LESO10045125-089</a>
1000	15	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10015135-089</a>
1000	20	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10020135-089</a>
1000	25	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10025135-089</a>
1000	30	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10030135-089</a>
1000	35	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10035135-089</a>
1000	40	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10040135-089</a>
1000	45	89	380	U100	1290	1350	30	135	150	<a href="#">LESO10045135-089</a>
1000	15	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10015135-108</a>
1000	20	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10020135-108</a>
1000	25	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10025135-108</a>
1000	30	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10030135-108</a>
1000	35	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10035135-108</a>
1000	40	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10040135-108</a>
1000	45	108	380	U100	1290	1350	30	135	160	<a href="#">LESO10045135-108</a>
1000	15	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10015155-133</a>
1000	20	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10020155-133</a>
1000	25	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10025155-133</a>
1000	30	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10030155-133</a>
1000	35	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10035155-133</a>
1000	40	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10040155-133</a>
1000	45	133	380	U120	1290	1350	30	155	170	<a href="#">LESO10045155-133</a>
1000	15	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10015185-159</a>
1000	20	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10020185-159</a>
1000	25	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10025185-159</a>
1000	30	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10030185-159</a>
1000	35	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10035185-159</a>
1000	40	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10040185-159</a>
1000	45	159	380	U120	1290	1350	30	185	180	<a href="#">LESO10045185-159</a>
1200	15	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12015135-108</a>
1200	20	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12020135-108</a>
1200	25	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12025135-108</a>

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republic, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899


1200	30	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12030135-108</a>
1200	35	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12035135-108</a>
1200	40	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12040135-108</a>
1200	45	108	465	U100	1540	1600	30	135	160	<a href="#">LESO12045135-108</a>
1200	15	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12015155-133</a>
1200	20	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12020155-133</a>
1200	25	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12025155-133</a>
1200	30	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12030155-133</a>
1200	35	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12035155-133</a>
1200	40	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12040155-133</a>
1200	45	133	465	U120	1540	1600	30	155	170	<a href="#">LESO12045155-133</a>
1200	15	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12015190-159</a>
1200	20	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12020190-159</a>
1200	25	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12025190-159</a>
1200	30	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12030190-159</a>
1200	35	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12035190-159</a>
1200	40	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12040190-159</a>
1200	45	159	465	U140	1540	1600	30	190	180	<a href="#">LESO12045190-159</a>
1400	15	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14015140-108</a>
1400	20	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14020140-108</a>
1400	25	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14025140-108</a>
1400	30	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14030140-108</a>
1400	35	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14035140-108</a>
1400	40	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14040140-108</a>
1400	45	108	530	U140	1730	1800	35	140	160	<a href="#">LESO14045140-108</a>
1400	15	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14015160-133</a>
1400	20	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14020160-133</a>
1400	25	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14025160-133</a>
1400	30	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14030160-133</a>
1400	35	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14035160-133</a>
1400	40	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14040160-133</a>
1400	45	133	530	U140	1730	1800	35	160	170	<a href="#">LESO14045160-133</a>
1400	15	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14015195-159</a>
1400	20	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14020195-159</a>
1400	25	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14025195-159</a>
1400	30	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14030195-159</a>
1400	35	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14035195-159</a>
1400	40	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14040195-159</a>
1400	45	159	530	U160	1730	1800	35	195	180	<a href="#">LESO14045195-159</a>
1600	15	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16015170-133</a>
1600	20	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16020170-133</a>
1600	25	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16025170-133</a>
1600	30	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16030170-133</a>
1600	35	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16035170-133</a>
1600	40	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16040170-133</a>
1600	45	133	600	U140	1980	2050	35	170	170	<a href="#">LESO16045170-133</a>
1600	15	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16015195-159</a>
1600	20	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16020195-159</a>
1600	25	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16025195-159</a>
1600	30	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16030195-159</a>
1600	35	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16035195-159</a>
1600	40	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16040195-159</a>



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republic, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gk@gtktupesy.cz](mailto:gk@gtktupesy.cz), [www.gtktupesy.cz](http://www.gtktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1600	45	159	600	U160	1980	2050	35	195	180	<a href="#">LESO16045195-159</a>
1800	15	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18015175-133</a>
1800	15	159	670	2xL100/65/8	2180	2250	35	200	200	<a href="#">LESO18015200-159</a>
1800	25	159	670	2xL100/65/8	2180	2250	35	200	200	<a href="#">LESO18025200-159</a>
1800	20	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18020175-133</a>
1800	25	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18025175133</a>
1800	30	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18030175-133</a>
1800	35	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18035175-133</a>
1800	40	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18040175-133</a>
1800	45	133	670	2xL100/65/8	2180	2250	35	175	180	<a href="#">LESO18045175-133</a>
1800	20	159	670	2xL100/65/8	2180	2250	40	200	200	<a href="#">LESO18020200-159</a>
1800	30	159	670	2xL100/65/8	2180	2250	40	200	200	<a href="#">LESO18030200-159</a>
1800	35	159	670	2xL100/65/8	2180	2250	40	200	200	<a href="#">LESO18035200-159</a>
1800	40	159	670	2xL100/65/8	2180	2250	40	200	200	<a href="#">LESO18040200-159</a>
1800	45	159	670	2xL100/65/8	2180	2250	40	200	200	<a href="#">LESO180451xx-159</a>
2000	15	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200151xx-133</a>
2000	15	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200151xx-159</a>
2000	20	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200201xx-133</a>
2000	25	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200251xx-133</a>
2000	30	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200301xx-133</a>
2000	35	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200351xx-133</a>
2000	40	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200401xx-133</a>
2000	45	133	750	2xL100/65/8	2420	2500	40	175	180	<a href="#">LESO200451xx-133</a>
2000	20	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200201xx-159</a>
2000	25	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200251xx-159</a>
2000	30	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200301xx-159</a>
2000	35	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200351xx-159</a>
2000	40	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200401xx-159</a>
2000	45	159	750	2xL100/65/8	2420	2500	40	200	200	<a href="#">LESO200451xx-159</a>



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)

