



# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY


GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

## Válečkové stolice LESO

U100-U160-DIN 1026

Verze: 2012-05-15



BB(mm)	Úhel°	D(mm)	RL1(mm)	RL2(mm)	U(mm)	A(mm)	E(mm)	s(mm)	h(mm)	Artikl
400	15	63	160	135	U100	640	700	30	125	LESOR04015125-063
400	20	63	160	135	U100	640	700	30	125	LESOR04020125-063
400	25	63	160	135	U100	640	700	30	125	LESOR04025125-063
400	30	63	160	135	U100	640	700	30	125	LESOR04030125-063
400	35	63	160	135	U100	640	700	30	125	LESOR04035125-063
400	40	63	160	135	U100	640	700	30	125	LESOR04040125-063
400	45	63	160	135	U100	640	700	30	125	LESOR04045125-063
400	15	89	160	135	U100	640	700	30	125	LESOR04015125-089
400	20	89	160	135	U100	640	700	30	125	LESOR04020125-089
400	25	89	160	135	U100	640	700	30	125	LESOR04025125-089
400	30	89	160	135	U100	640	700	30	125	LESOR04030125-089
400	35	89	160	135	U100	640	700	30	125	LESOR04035125-089
400	40	89	160	135	U100	640	700	30	125	LESOR04040125-089
400	45	89	160	135	U100	640	700	30	125	LESOR04045125-089
400	15	108	160	135	U100	640	700	30	125	LESOR04015125-108
400	20	108	160	135	U100	640	700	30	125	LESOR04020125-108
400	25	108	160	135	U100	640	700	30	125	LESOR04025125-108

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899  
e-mail: gtk@gktupesy.cz, www.gktupesy.cz





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

400	30	108	160	135	U100	640	700	30	125	<a href="#">LESOR04030125-108</a>
400	35	108	160	135	U100	640	700	30	125	<a href="#">LESOR04035125-108</a>
400	40	108	160	135	U100	640	700	30	125	<a href="#">LESOR04040125-108</a>
400	45	108	160	135	U100	640	700	30	125	<a href="#">LESOR04045125-108</a>
500	15	63	200	175	U100	740	800	30	125	<a href="#">LESOR05015125-063</a>
500	20	63	200	175	U100	740	800	30	125	<a href="#">LESOR05020125-063</a>
500	25	63	200	175	U100	740	800	30	125	<a href="#">LESOR05025125-063</a>
500	30	63	200	175	U100	740	800	30	125	<a href="#">LESOR05030125-063</a>
500	35	63	200	175	U100	740	800	30	125	<a href="#">LESOR05035125-063</a>
500	40	63	200	175	U100	740	800	30	125	<a href="#">LESOR05040125-063</a>
500	45	63	200	175	U100	740	800	30	125	<a href="#">LESOR05045125-063</a>
500	15	89	200	175	U100	740	800	30	125	<a href="#">LESOR05015125-089</a>
500	20	89	200	175	U100	740	800	30	125	<a href="#">LESOR05020125-089</a>
500	25	89	200	175	U100	740	800	30	125	<a href="#">LESOR05025125-089</a>
500	30	89	200	175	U100	740	800	30	125	<a href="#">LESOR05030125-089</a>
500	35	89	200	175	U100	740	800	30	125	<a href="#">LESOR05035125-089</a>
500	40	89	200	175	U100	740	800	30	125	<a href="#">LESOR05040125-089</a>
500	45	89	200	175	U100	740	800	30	125	<a href="#">LESOR05045125-089</a>
500	15	108	200	175	U100	740	800	30	125	<a href="#">LESOR05015125-108</a>
500	20	108	200	175	U100	740	800	30	125	<a href="#">LESOR05020125-108</a>
500	25	108	200	175	U100	740	800	30	125	<a href="#">LESOR05025125-108</a>
500	30	108	200	175	U100	740	800	30	125	<a href="#">LESOR05030125-108</a>
500	35	108	200	175	U100	740	800	30	125	<a href="#">LESOR05035125-108</a>
500	40	108	200	175	U100	740	800	30	125	<a href="#">LESOR05040125-108</a>
500	45	108	200	175	U100	740	800	30	125	<a href="#">LESOR05045125-108</a>
650	15	63	250	225	U100	890	950	30	125	<a href="#">LESOR06515125-063</a>
650	20	63	250	225	U100	890	950	30	125	<a href="#">LESOR06520125-063</a>
650	25	63	250	225	U100	890	950	30	125	<a href="#">LESOR06525125-063</a>
650	30	63	250	225	U100	890	950	30	125	<a href="#">LESOR06530125-063</a>
650	35	63	250	225	U100	890	950	30	125	<a href="#">LESOR06535125-063</a>
650	40	63	250	225	U100	890	950	30	125	<a href="#">LESOR06540125-063</a>
650	45	63	250	225	U100	890	950	30	125	<a href="#">LESOR06545125-063</a>
650	15	89	250	225	U100	890	950	30	125	<a href="#">LESOR06515125-089</a>
650	20	89	250	225	U100	890	950	30	125	<a href="#">LESOR06520125-089</a>
650	25	89	250	225	U100	890	950	30	125	<a href="#">LESOR06525125-089</a>
650	30	89	250	225	U100	890	950	30	125	<a href="#">LESOR06530125-089</a>
650	35	89	250	225	U100	890	950	30	125	<a href="#">LESOR06535125-089</a>
650	40	89	250	225	U100	890	950	30	125	<a href="#">LESOR06540125-089</a>
650	45	89	250	225	U100	890	950	30	125	<a href="#">LESOR06545125-089</a>
650	15	108	250	225	U100	890	950	30	135	<a href="#">LESOR06515135-108</a>
650	20	108	250	225	U100	890	950	30	135	<a href="#">LESOR06520135-108</a>
650	25	108	250	225	U100	890	950	30	135	<a href="#">LESOR06525135-108</a>
650	30	108	250	225	U100	890	950	30	135	<a href="#">LESOR06530135-108</a>
650	35	108	250	225	U100	890	950	30	135	<a href="#">LESOR06535135-108</a>
650	40	108	250	225	U100	890	950	30	135	<a href="#">LESOR06540135-108</a>
650	45	108	250	225	U100	890	950	30	135	<a href="#">LESOR06545135-108</a>
800	15	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08015135-089</a>
800	20	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08020135-089</a>
800	25	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08025135-089</a>
800	30	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08030135-089</a>
800	35	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08035135-089</a>
800	40	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08040135-089</a>

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

800	45	89	315	290	U100	1090	1150	30	125	<a href="#">LESOR08045135-089</a>
800	15	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08015135-108</a>
800	20	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08020135-108</a>
800	25	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08025135-108</a>
800	30	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08030135-108</a>
800	35	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08035135-108</a>
800	40	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08040135-108</a>
800	45	108	315	290	U100	1090	1150	30	135	<a href="#">LESOR08045135-108</a>
800	15	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08015150-133</a>
800	20	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08020150-133</a>
800	25	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08025150-133</a>
800	30	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08030150-133</a>
800	35	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08035150-133</a>
800	40	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08040150-133</a>
800	45	133	315	290	U100	1090	1150	30	150	<a href="#">LESOR08045150-133</a>
1000	15	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10015125-089</a>
1000	20	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10020125-089</a>
1000	25	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10025125-089</a>
1000	30	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10030125-089</a>
1000	35	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10035125-089</a>
1000	40	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10040125-089</a>
1000	45	89	380	355	U100	1290	1350	30	125	<a href="#">LESOR10045125-089</a>
1000	15	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10015135-089</a>
1000	20	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10020135-089</a>
1000	25	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10025135-089</a>
1000	30	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10030135-089</a>
1000	35	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10035135-089</a>
1000	40	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10040135-089</a>
1000	45	89	380	355	U100	1290	1350	30	135	<a href="#">LESOR10045135-089</a>
1000	15	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10015135-108</a>
1000	20	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10020135-108</a>
1000	25	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10025135-108</a>
1000	30	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10030135-108</a>
1000	35	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10035135-108</a>
1000	40	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10040135-108</a>
1000	45	108	380	355	U100	1290	1350	30	135	<a href="#">LESOR10045135-108</a>
1000	15	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10015155-133</a>
1000	20	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10020155-133</a>
1000	25	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10025155-133</a>
1000	30	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10030155-133</a>
1000	35	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10035155-133</a>
1000	40	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10040155-133</a>
1000	45	133	380	355	U120	1290	1350	30	155	<a href="#">LESOR10045155-133</a>
1000	15	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10015185-159</a>
1000	20	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10020185-159</a>
1000	25	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10025185-159</a>
1000	30	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10030185-159</a>
1000	35	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10035185-159</a>
1000	40	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10040185-159</a>
1000	45	159	380	355	U120	1290	1350	30	185	<a href="#">LESOR10045185-159</a>
1200	15	108	465	440	U100	1540	1600	30	135	<a href="#">LESOR12015135-108</a>
1200	20	108	465	440	U100	1540	1600	30	135	<a href="#">LESOR12020135-108</a>

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gk@gtktupesy.cz](mailto:gk@gtktupesy.cz), [www.gtktupesy.cz](http://www.gtktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1200	25	108	465	440	U100	1540	1600	30	135	LESOR12025135-108
1200	30	108	465	440	U100	1540	1600	30	135	LESOR12030135-108
1200	35	108	465	440	U100	1540	1600	30	135	LESOR12035135-108
1200	40	108	465	440	U100	1540	1600	30	135	LESOR12040135-108
1200	45	108	465	440	U100	1540	1600	30	135	LESOR12045135-108
1200	15	133	465	440	U120	1540	1600	30	155	LESOR12015155-133
1200	20	133	465	440	U120	1540	1600	30	155	LESOR12020155-133
1200	25	133	465	440	U120	1540	1600	30	155	LESOR12025155-133
1200	30	133	465	440	U120	1540	1600	30	155	LESOR12030155-133
1200	35	133	465	440	U120	1540	1600	30	155	LESOR12035155-133
1200	40	133	465	440	U120	1540	1600	30	155	LESOR12040155-133
1200	45	133	465	440	U120	1540	1600	30	155	LESOR12045155-133
1200	15	159	465	440	U140	1540	1600	30	190	LESOR12015190-159
1200	20	159	465	440	U140	1540	1600	30	190	LESOR12020190-159
1200	25	159	465	440	U140	1540	1600	30	190	LESOR12025190-159
1200	30	159	465	440	U140	1540	1600	30	190	LESOR12030190-159
1200	35	159	465	440	U140	1540	1600	30	190	LESOR12035190-159
1200	40	159	465	440	U140	1540	1600	30	190	LESOR12040190-159
1200	45	159	465	440	U140	1540	1600	30	190	LESOR12045190-159
1400	15	108	530	505	U140	1730	1800	35	140	LESOR14015140-108
1400	20	108	530	505	U140	1730	1800	35	140	LESOR14020140-108
1400	25	108	530	505	U140	1730	1800	35	140	LESOR14025140-108
1400	30	108	530	505	U140	1730	1800	35	140	LESOR14030140-108
1400	35	108	530	505	U140	1730	1800	35	140	LESOR14035140-108
1400	40	108	530	505	U140	1730	1800	35	140	LESOR14040140-108
1400	45	108	530	505	U140	1730	1800	35	140	LESOR14045140-108
1400	15	133	530	505	U140	1730	1800	35	160	LESOR14015160-133
1400	20	133	530	505	U140	1730	1800	35	160	LESOR14020160-133
1400	25	133	530	505	U140	1730	1800	35	160	LESOR14025160-133
1400	30	133	530	505	U140	1730	1800	35	160	LESOR14030160-133
1400	35	133	530	505	U140	1730	1800	35	160	LESOR14035160-133
1400	40	133	530	505	U140	1730	1800	35	160	LESOR14040160-133
1400	45	133	530	505	U140	1730	1800	35	160	LESOR14045160-133
1400	15	159	530	505	U160	1730	1800	35	195	LESOR14015195-159
1400	20	159	530	505	U160	1730	1800	35	195	LESOR14020195-159
1400	25	159	530	505	U160	1730	1800	35	195	LESOR14025195-159
1400	30	159	530	505	U160	1730	1800	35	195	LESOR14030195-159
1400	35	159	530	505	U160	1730	1800	35	195	LESOR14035195-159
1400	40	159	530	505	U160	1730	1800	35	195	LESOR14040195-159
1400	45	159	530	505	U160	1730	1800	35	195	LESOR14045195-159
1600	15	133	600	575	U140	1980	2050	35	170	LESOR16015170-133
1600	20	133	600	575	U140	1980	2050	35	170	LESOR16020170-133
1600	25	133	600	575	U140	1980	2050	35	170	LESOR16025170-133
1600	30	133	600	575	U140	1980	2050	35	170	LESOR16030170-133
1600	35	133	600	575	U140	1980	2050	35	170	LESOR16035170-133
1600	40	133	600	575	U140	1980	2050	35	170	LESOR16040170-133
1600	45	133	600	575	U140	1980	2050	35	170	LESOR16045170-133
1600	15	159	600	575	U160	1980	2050	35	195	LESOR16015195-159
1600	20	159	600	575	U160	1980	2050	35	195	LESOR16020195-159
1600	25	159	600	575	U160	1980	2050	35	195	LESOR16025195-159
1600	30	159	600	575	U160	1980	2050	35	195	LESOR16030195-159
1600	35	159	600	575	U160	1980	2050	35	195	LESOR16035195-159

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





**FÖRDERANLAGEN - BELT CONVEYORS**  
**GTK PÁSOVÉ DOPRAVNÍKY**

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1600	40	159	600	575	U160	1980	2050	35	195	<i>LESOR16040195-159</i>
1600	45	159	600	575	U160	1980	2050	35	195	<i>LESOR16045195-159</i>