



FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY


GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

Tragstationen DACH

U70/50/4 - U220-

Version: 2015-10-26



BB(mm)	Muldung °	D (mm)	Schwelle (mm)	RL (mm)	h (mm)	A (mm)	E (mm)	X (mm)	H1 (mm)	Artikl
650	10	63,5	U70/50/4	380	40	890	950	70	170	DACH-U7006510040
650	15	63,5	U70/50/4	380	40	890	950	70	170	DACH-U7006515040
650	10	89	U70/50/4	380	50	890	950	70	170	DACH-U7006510050
650	15	89	U70/50/4	380	50	890	950	70	170	DACH-U7006515050
650	10	108,133	U70/50/4	380	60	890	950	70(100)	170(200)	DACH-U7006510060
650	15	108,133	U70/50/4	380	60	890	950	70(100)	170(200)	DACH-U7006515060
650	10	63,5	U80	380	40	890	950	70	170	DACH-U8006510040
650	15	63,5	U80	380	40	890	950	70	170	DACH-U8006515040
650	10	89	U80	380	50	890	950	70	170	DACH-U8006510050
650	15	89	U80	380	50	890	950	70	170	DACH-U8006515050
650	10	108,133	U80	380	60	890	950	70(100)	170(200)	DACH-U8006510060
650	15	108,133	U80	380	60	890	950	70(100)	170(200)	DACH-U8006515060
800	10	63,5	U80	465	40	1090	1150	70	170	DACH-U8008010040
800	15	63,5	U80	465	40	1090	1150	70	170	DACH-U8008015040
800	10	89	U80	465	50	1090	1150	70	170	DACH-U8008010050
800	15	89	U80	465	50	1090	1150	70	170	DACH-U8008015050
800	10	108,133	U80	465	60	1090	1150	70(100)	170(200)	DACH-U8008010060
800	15	108,133	U80	465	60	1090	1150	70(100)	170(200)	DACH-U8008015060

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gtktupesy.cz, www.gtktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

800	10	63,5	U100	465	40	1090	1150	70	170	DACH-U1008010040
800	15	63,5	U100	465	40	1090	1150	70	170	DACH-U1008015040
800	10	89	U100	465	50	1090	1150	70	170	DACH-U1008010050
800	15	89	U100	465	50	1090	1150	70	170	DACH-U1008015050
800	10	108,133	U100	465	60	1090	1150	70(100)	170(200)	DACH-U1008010060
800	15	108,133	U100	465	60	1090	1150	70(100)	170(200)	DACH-U1008015060
1000	10	89	U100	600	50	1290	1350	70	170	DACH-U1010010050
1000	15	89	U100	600	50	1290	1350	70	170	DACH-U1010015050
1000	10	108	U100	600	60	1290	1350	70	170	DACH-U1010010060
1000	15	108	U100	600	60	1290	1350	70	170	DACH-U1010015060
1000	10	133	U100	600	70	1290	1350	100	200	DACH-U1010010070
1000	15	133	U100	600	70	1290	1350	100	200	DACH-U1010015070
1000	10	89	U120	600	50	1290	1350	70	170	DACH-U1210010050
1000	15	89	U120	600	50	1290	1350	70	170	DACH-U1210015050
1000	10	108	U120	600	60	1290	1350	70	170	DACH-U1210010060
1000	15	108	U120	600	60	1290	1350	70	17	DACH-U1210015060
1000	10	133,159	U120	600	70	1290	1350	100	200(220)	DACH-U1210010070
1000	15	133,159	U120	600	70	1290	1350	100	200(220)	DACH-U1210015070
1200	10	89	U100	700	50	1540	1600	60	170	DACH-U1012010050
1200	15	89	U100	700	50	1540	1600	60	170	DACH-U1012015050
1200	10	108	U100	700	60	1540	1600	70	190	DACH-U1012010060
1200	15	108	U100	700	60	1540	1600	70	190	DACH-U1012015060
1200	10	133,159	U100	700	70	1540	1600	100	220	DACH-U1012010070
1200	15	133,159	U100	700	70	1540	1600	100	220	DACH-U1012015070
1200	10	89	U120	700	50	1540	1600	60	170	DACH-U1212010050
1200	15	89	U120	700	50	1540	1600	60	170	DACH-U1212015050
1200	10	108	U120	700	60	1540	1600	70	190	DACH-U1212010060
1200	15	108	U120	700	60	1540	1600	70	190	DACH-U1212015060
1200	10	133,159	U120	700	70	1540	1600	100	220	DACH-U1212010070
1200	15	133,159	U120	700	70	1540	1600	100	220	DACH-U1212015070
1400	10	108	U120	800	60	1740	1800	70	190	DACH-U1214010060
1400	15	108	U120	800	60	1740	1800	70	190	DACH-U1214015060
1400	10	133	U120	800	70	1740	1800	70	190	DACH-U1214010070
1400	15	133	U120	800	70	1740	1800	70	190	DACH-U1214015070
1400	10	159	U120	800	80	1740	1800	100	220	DACH-U1214010080
1400	15	159	U120	800	80	1740	1800	100	220	DACH-U1214015080
1400	10	108	U140	800	60	1740	1800	70	190	DACH-U1414010060
1400	15	108	U140	800	60	1740	1800	70	190	DACH-U1414015060
1400	10	133	U140	800	70	1740	1800	70	190	DACH-U1414010070
1400	15	133	U140	800	70	1740	1800	70	190	DACH-U1414015070
1400	10	159	U140	800	80	1740	1800	100	220	DACH-U1414010080
1400	15	159	U140	800	80	1740	1800	100	220	DACH-U1414015080
1600	10	108	U140	900	60	1990	2050	70	190	DACH-U1416010070
1600	15	108	U140	900	60	1990	2050	70	190	DACH-U1416015060
1600	10	133	U140	900	70	1990	2050	70	190	DACH-U1416010070
1600	15	133	U140	900	70	1990	2050	70	190	DACH-U1416015070
1600	10	159	U140	900	80	1990	2050	100	220	DACH-U1416010080
1600	15	159	U140	900	80	1990	2050	100	220	DACH-U1416015080
1600	10	108	U160	900	60	1990	2050	70	190	DACH-U1616010060
1600	15	108	U160	900	60	1990	2050	70	190	DACH-U1616015060
1600	10	133	U160	900	70	1990	2050	70	190	DACH-U1616010070
1600	15	133	U160	900	70	1990	2050	70	190	DACH-U1616015070

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: gkt@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1600	10	159	U160	900	80	1990	2050	100	220	<i>DACH-U1616010080</i>
1600	15	159	U160	900	80	1990	2050	100	220	<i>DACH-U1616015080</i>
1600	10	159	U180	900	80	1990	2050	100	220	<i>DACH-U1816010080</i>
1600	15	159	U180	900	80	1990	2050	100	220	<i>DACH-U1816015080</i>
1600	10	194,219	U180	900	90	1990	2050	100(130)	220(270)	<i>DACH-U1816010090</i>
1600	15	194,219	U180	900	90	1990	2050	100(130)	220(270)	<i>DACH-U1816015090</i>
1800	10	133	U160	1000	70	2190	2250	100	240	<i>DACH-U1618010070</i>
1800	15	133	U160	1000	70	2190	2250	100	240	<i>DACH-U1618015070</i>
1800	10	159	U180	1000	80	2190	2250	100	240	<i>DACH-U1818010080</i>
1800	15	159	U180	1000	80	2190	2250	100	240	<i>DACH-U1818015080</i>
1800	10	194,219	U200	1000	90	2190	2250	130	270	<i>DACH-U2018010090</i>
1800	15	194,219	U200	1000	90	2190	2250	130	270	<i>DACH-U2018015090</i>
2000	10	133	U180	1100	70	2440	2500	100	240	<i>DACH-U1820010070</i>
2000	15	133	U180	1100	70	2440	2500	100	240	<i>DACH-U1820015070</i>
2000	10	159	U180	1100	80	2440	2500	100	240	<i>DACH-U1820010080</i>
2000	15	159	U180	1100	80	2440	2500	100	240	<i>DACH-U1820015080</i>
2000	10	159	U200	1100	80	2440	2500	100	240	<i>DACH-U2020010080</i>
2000	15	159	U200	1100	80	2440	2500	100	240	<i>DACH-U2020015080</i>
2000	10	194,219	U220	1100	90	2440	2500	130	270	<i>DACH-U2220010090</i>
2000	15	194,219	U220	1100	90	2440	2500	130	270	<i>DACH-U2220015090</i>



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gktupesy.cz, www.gktupesy.cz

