



FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY




GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

Tragstationen LESO

U100-U160-DIN 1026

Version: 2012-05-15



BB(mm)	Muldung°	D(mm)	RL1(mm)	U(mm)	A(mm)	E(mm)	s(mm)	h(mm)	P(mm)	Artikl
400	15	63	160	U100	640	700	30	125	140	LESO04015125-063
400	20	63	160	U100	640	700	30	125	140	LESO04020125-063
400	25	63	160	U100	640	700	30	125	140	LESO04025125-063
400	30	63	160	U100	640	700	30	125	140	LESO04030125-063
400	35	63	160	U100	640	700	30	125	140	LESO04035125-063
400	40	63	160	U100	640	700	30	125	140	LESO04040125-063
400	45	63	160	U100	640	700	30	125	140	LESO04045125-063
400	15	89	160	U100	640	700	30	125	150	LESO04015125-089
400	20	89	160	U100	640	700	30	125	150	LESO04020125-089
400	25	89	160	U100	640	700	30	125	150	LESO04025125-089
400	30	89	160	U100	640	700	30	125	150	LESO04030125-089
400	35	89	160	U100	640	700	30	125	150	LESO04035125-089
400	40	89	160	U100	640	700	30	125	150	LESO04040125-089
400	45	89	160	U100	640	700	30	125	150	LESO04045125-089
400	15	108	160	U100	640	700	30	125	160	LESO04015125-108
400	20	108	160	U100	640	700	30	125	160	LESO04020125-108
400	25	108	160	U100	640	700	30	125	160	LESO04025125-108
400	30	108	160	U100	640	700	30	125	160	LESO04030125-108

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

400	35	108	160	U100	640	700	30	125	160	LESO04035125-108
400	40	108	160	U100	640	700	30	125	160	LESO04040125-108
400	45	108	160	U100	640	700	30	125	160	LESO04045125-108
500	15	63	200	U100	740	800	30	125	140	LESO05015125-063
500	20	63	200	U100	740	800	30	125	140	LESO05020125-063
500	25	63	200	U100	740	800	30	125	140	LESO05025125-063
500	30	63	200	U100	740	800	30	125	140	LESO05030125-063
500	35	63	200	U100	740	800	30	125	140	LESO05035125-063
500	40	63	200	U100	740	800	30	125	140	LESO05040125-063
500	45	63	200	U100	740	800	30	125	140	LESO05045125-063
500	15	89	200	U100	740	800	30	125	150	LESO05015125-089
500	20	89	200	U100	740	800	30	125	150	LESO05020125-089
500	25	89	200	U100	740	800	30	125	150	LESO05025125-089
500	30	89	200	U100	740	800	30	125	150	LESO05030125-089
500	35	89	200	U100	740	800	30	125	150	LESO05035125-089
500	40	89	200	U100	740	800	30	125	150	LESO05040125-089
500	45	89	200	U100	740	800	30	125	150	LESO05045125-089
500	15	108	200	U100	740	800	30	125	160	LESO05015125-108
500	20	108	200	U100	740	800	30	125	160	LESO05020125-108
500	25	108	200	U100	740	800	30	125	160	LESO05025125-108
500	30	108	200	U100	740	800	30	125	160	LESO05030125-108
500	35	108	200	U100	740	800	30	125	160	LESO05035125-108
500	40	108	200	U100	740	800	30	125	160	LESO05040125-108
500	45	108	200	U100	740	800	30	125	160	LESO05045125-108
650	15	63	250	U100	890	950	30	125	140	LESO06515125-063
650	20	63	250	U100	890	950	30	125	140	LESO06520125-063
650	25	63	250	U100	890	950	30	125	140	LESO06525125-063
650	30	63	250	U100	890	950	30	125	140	LESO06530125-063
650	35	63	250	U100	890	950	30	125	140	LESO06535125-063
650	40	63	250	U100	890	950	30	125	140	LESO06540125-063
650	45	63	250	U100	890	950	30	125	140	LESO06545125-063
650	15	89	250	U100	890	950	30	125	150	LESO06515125-089
650	20	89	250	U100	890	950	30	125	150	LESO06520125-089
650	25	89	250	U100	890	950	30	125	150	LESO06525125-089
650	30	89	250	U100	890	950	30	125	150	LESO06530125-089
650	35	89	250	U100	890	950	30	125	150	LESO06535125-089
650	40	89	250	U100	890	950	30	125	150	LESO06540125-089
650	45	89	250	U100	890	950	30	125	150	LESO06545125-089
650	15	108	250	U100	890	950	30	135	160	LESO06515135-108
650	20	108	250	U100	890	950	30	135	160	LESO06520135-108
650	25	108	250	U100	890	950	30	135	160	LESO06525135-108
650	30	108	250	U100	890	950	30	135	160	LESO06530135-108
650	35	108	250	U100	890	950	30	135	160	LESO06535135-108
650	40	108	250	U100	890	950	30	135	160	LESO06540135-108
650	45	108	250	U100	890	950	30	135	160	LESO06545135-108
800	15	89	315	U100	1090	1150	30	125	150	LESO08015135-089
800	20	89	315	U100	1090	1150	30	125	150	LESO08020125-089
800	25	89	315	U100	1090	1150	30	125	150	LESO08025125-089
800	30	89	315	U100	1090	1150	30	125	150	LESO08030125-089
800	35	89	315	U100	1090	1150	30	125	150	LESO08035125-089
800	40	89	315	U100	1090	1150	30	125	150	LESO08040125-089
800	45	89	315	U100	1090	1150	30	125	150	LESO08045125-089

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: gtk@gtktupesy.cz, www.gtktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

800	15	108	315	U100	1090	1150	30	135	160	LESO08015135-108
800	20	108	315	U100	1090	1150	30	135	160	LESO08020135-108
800	25	108	315	U100	1090	1150	30	135	160	LESO08025135-108
800	30	108	315	U100	1090	1150	30	135	160	LESO08030135-108
800	35	108	315	U100	1090	1150	30	135	160	LESO08035135-108
800	40	108	315	U100	1090	1150	30	135	160	LESO08040135-108
800	45	108	315	U100	1090	1150	30	135	160	LESO08045135-108
800	15	133	315	U100	1090	1150	30	150	170	LESO08015150-133
800	20	133	315	U100	1090	1150	30	150	170	LESO08020150-133
800	25	133	315	U100	1090	1150	30	150	170	LESO08025150-133
800	30	133	315	U100	1090	1150	30	150	170	LESO08030150-133
800	35	133	315	U100	1090	1150	30	150	170	LESO08035150-133
800	40	133	315	U100	1090	1150	30	150	170	LESO08040150-133
800	45	133	315	U100	1090	1150	30	150	170	LESO08045150-133
1000	15	89	380	U100	1290	1350	30	125	150	LESO10015125-089
1000	20	89	380	U100	1290	1350	30	125	150	LESO10020125-089
1000	25	89	380	U100	1290	1350	30	125	150	LESO10025125-089
1000	30	89	380	U100	1290	1350	30	125	150	LESO10030125-089
1000	35	89	380	U100	1290	1350	30	125	150	LESO10035125-089
1000	40	89	380	U100	1290	1350	30	125	150	LESO10040125-089
1000	45	89	380	U100	1290	1350	30	125	150	LESO10045125-089
1000	15	89	380	U100	1290	1350	30	135	150	LESO10015135-089
1000	20	89	380	U100	1290	1350	30	135	150	LESO10020135-089
1000	25	89	380	U100	1290	1350	30	135	150	LESO10025135-089
1000	30	89	380	U100	1290	1350	30	135	150	LESO10030135-089
1000	35	89	380	U100	1290	1350	30	135	150	LESO10035135-089
1000	40	89	380	U100	1290	1350	30	135	150	LESO10040135-089
1000	45	89	380	U100	1290	1350	30	135	150	LESO10045135-089
1000	15	108	380	U100	1290	1350	30	135	160	LESO10015135-108
1000	20	108	380	U100	1290	1350	30	135	160	LESO10020135-108
1000	25	108	380	U100	1290	1350	30	135	160	LESO10025135-108
1000	30	108	380	U100	1290	1350	30	135	160	LESO10030135-108
1000	35	108	380	U100	1290	1350	30	135	160	LESO10035135-108
1000	40	108	380	U100	1290	1350	30	135	160	LESO10040135-108
1000	45	108	380	U100	1290	1350	30	135	160	LESO10045135-108
1000	15	133	380	U120	1290	1350	30	155	170	LESO10015155-133
1000	20	133	380	U120	1290	1350	30	155	170	LESO10020155-133
1000	25	133	380	U120	1290	1350	30	155	170	LESO10025155-133
1000	30	133	380	U120	1290	1350	30	155	170	LESO10030155-133
1000	35	133	380	U120	1290	1350	30	155	170	LESO10035155-133
1000	40	133	380	U120	1290	1350	30	155	170	LESO10040155-133
1000	45	133	380	U120	1290	1350	30	155	170	LESO10045155-133
1000	15	159	380	U120	1290	1350	30	185	180	LESO10015185-159
1000	20	159	380	U120	1290	1350	30	185	180	LESO10020185-159
1000	25	159	380	U120	1290	1350	30	185	180	LESO10025185-159
1000	30	159	380	U120	1290	1350	30	185	180	LESO10030185-159
1000	35	159	380	U120	1290	1350	30	185	180	LESO10035185-159
1000	40	159	380	U120	1290	1350	30	185	180	LESO10040185-159
1000	45	159	380	U120	1290	1350	30	185	180	LESO10045185-159
1200	15	108	465	U100	1540	1600	30	135	160	LESO12015135-108
1200	20	108	465	U100	1540	1600	30	135	160	LESO12020135-108
1200	25	108	465	U100	1540	1600	30	135	160	LESO12025135-108



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republic, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1200	30	108	465	U100	1540	1600	30	135	160	LESO12030135-108
1200	35	108	465	U100	1540	1600	30	135	160	LESO12035135-108
1200	40	108	465	U100	1540	1600	30	135	160	LESO12040135-108
1200	45	108	465	U100	1540	1600	30	135	160	LESO12045135-108
1200	15	133	465	U120	1540	1600	30	155	170	LESO12015155-133
1200	20	133	465	U120	1540	1600	30	155	170	LESO12020155-133
1200	25	133	465	U120	1540	1600	30	155	170	LESO12025155-133
1200	30	133	465	U120	1540	1600	30	155	170	LESO12030155-133
1200	35	133	465	U120	1540	1600	30	155	170	LESO12035155-133
1200	40	133	465	U120	1540	1600	30	155	170	LESO12040155-133
1200	45	133	465	U120	1540	1600	30	155	170	LESO12045155-133
1200	15	159	465	U140	1540	1600	30	190	180	LESO12015190-159
1200	20	159	465	U140	1540	1600	30	190	180	LESO12020190-159
1200	25	159	465	U140	1540	1600	30	190	180	LESO12025190-159
1200	30	159	465	U140	1540	1600	30	190	180	LESO12030190-159
1200	35	159	465	U140	1540	1600	30	190	180	LESO12035190-159
1200	40	159	465	U140	1540	1600	30	190	180	LESO12040190-159
1200	45	159	465	U140	1540	1600	30	190	180	LESO12045190-159
1400	15	108	530	U140	1730	1800	35	140	160	LESO14015140-108
1400	20	108	530	U140	1730	1800	35	140	160	LESO14020140-108
1400	25	108	530	U140	1730	1800	35	140	160	LESO14025140-108
1400	30	108	530	U140	1730	1800	35	140	160	LESO14030140-108
1400	35	108	530	U140	1730	1800	35	140	160	LESO14035140-108
1400	40	108	530	U140	1730	1800	35	140	160	LESO14040140-108
1400	45	108	530	U140	1730	1800	35	140	160	LESO14045140-108
1400	15	133	530	U140	1730	1800	35	160	170	LESO14015160-133
1400	20	133	530	U140	1730	1800	35	160	170	LESO14020160-133
1400	25	133	530	U140	1730	1800	35	160	170	LESO14025160-133
1400	30	133	530	U140	1730	1800	35	160	170	LESO14030160-133
1400	35	133	530	U140	1730	1800	35	160	170	LESO14035160-133
1400	40	133	530	U140	1730	1800	35	160	170	LESO14040160-133
1400	45	133	530	U140	1730	1800	35	160	170	LESO14045160-133
1400	15	159	530	U160	1730	1800	35	195	180	LESO14015195-159
1400	20	159	530	U160	1730	1800	35	195	180	LESO14020195-159
1400	25	159	530	U160	1730	1800	35	195	180	LESO14025195-159
1400	30	159	530	U160	1730	1800	35	195	180	LESO14030195-159
1400	35	159	530	U160	1730	1800	35	195	180	LESO14035195-159
1400	40	159	530	U160	1730	1800	35	195	180	LESO14040195-159
1400	45	159	530	U160	1730	1800	35	195	180	LESO14045195-159
1600	15	133	600	U140	1980	2050	35	170	170	LESO16015170-133
1600	20	133	600	U140	1980	2050	35	170	170	LESO16020170-133
1600	25	133	600	U140	1980	2050	35	170	170	LESO16025170-133
1600	30	133	600	U140	1980	2050	35	170	170	LESO16030170-133
1600	35	133	600	U140	1980	2050	35	170	170	LESO16035170-133
1600	40	133	600	U140	1980	2050	35	170	170	LESO16040170-133
1600	45	133	600	U140	1980	2050	35	170	170	LESO16045170-133
1600	15	159	600	U160	1980	2050	35	195	180	LESO16015195-159
1600	20	159	600	U160	1980	2050	35	195	180	LESO16020195-159
1600	25	159	600	U160	1980	2050	35	195	180	LESO16025195-159
1600	30	159	600	U160	1980	2050	35	195	180	LESO16030195-159
1600	35	159	600	U160	1980	2050	35	195	180	LESO16035195-159
1600	40	159	600	U160	1980	2050	35	195	180	LESO16040195-159



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: gtk@gktupesy.cz, www.gktupesy.cz





FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

1600	45	159	600	U160	1980	2050	35	195	180	LESO16045195-159
1800	15	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18015175-133
1800	15	159	670	2xL100/65/8	2180	2250	35	200	200	LESO18015200-159
1800	25	159	670	2xL100/65/8	2180	2250	35	200	200	LESO18025200-159
1800	20	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18020175-133
1800	25	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18025175-133
1800	30	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18030175-133
1800	35	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18035175-133
1800	40	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18040175-133
1800	45	133	670	2xL100/65/8	2180	2250	35	175	180	LESO18045175-133
1800	20	159	670	2xL100/65/8	2180	2250	40	200	200	LESO18020200-159
1800	30	159	670	2xL100/65/8	2180	2250	40	200	200	LESO18030200-159
1800	35	159	670	2xL100/65/8	2180	2250	40	200	200	LESO18035200-159
1800	40	159	670	2xL100/65/8	2180	2250	40	200	200	LESO18040200-159
1800	45	159	670	2xL100/65/8	2180	2250	40	200	200	LESO180451xx-159
2000	15	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200151xx-133
2000	15	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200151xx-159
2000	20	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200201xx-133
2000	25	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200251xx-133
2000	30	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200301xx-133
2000	35	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200351xx-133
2000	40	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200401xx-133
2000	45	133	750	2xL100/65/8	2420	2500	40	175	180	LESO200451xx-133
2000	20	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200201xx-159
2000	25	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200251xx-159
2000	30	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200301xx-159
2000	35	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200351xx-159
2000	40	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200401xx-159
2000	45	159	750	2xL100/65/8	2420	2500	40	200	200	LESO200451xx-159



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899
e-mail: gtk@gktupesy.cz, www.gktupesy.cz

