



# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY


GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

## Idler frames DACH

U70/50/4 - U220-

Version: 2015-10-26



| BB(mm) | Inclination ° | D (mm)  | Base (mm) | RL (mm) | h (mm) | A (mm) | E (mm) | X (mm)  | H1 (mm)  | Artikl                           |
|--------|---------------|---------|-----------|---------|--------|--------|--------|---------|----------|----------------------------------|
| 650    | 10            | 63,5    | U70/50/4  | 380     | 40     | 890    | 950    | 70      | 170      | <a href="#">DACH-U7006510040</a> |
| 650    | 15            | 63,5    | U70/50/4  | 380     | 40     | 890    | 950    | 70      | 170      | <a href="#">DACH-U7006515040</a> |
| 650    | 10            | 89      | U70/50/4  | 380     | 50     | 890    | 950    | 70      | 170      | <a href="#">DACH-U7006510050</a> |
| 650    | 15            | 89      | U70/50/4  | 380     | 50     | 890    | 950    | 70      | 170      | <a href="#">DACH-U7006515050</a> |
| 650    | 10            | 108,133 | U70/50/4  | 380     | 60     | 890    | 950    | 70(100) | 170(200) | <a href="#">DACH-U7006510060</a> |
| 650    | 15            | 108,133 | U70/50/4  | 380     | 60     | 890    | 950    | 70(100) | 170(200) | <a href="#">DACH-U7006515060</a> |
| 650    | 10            | 63,5    | U80       | 380     | 40     | 890    | 950    | 70      | 170      | <a href="#">DACH-U8006510040</a> |
| 650    | 15            | 63,5    | U80       | 380     | 40     | 890    | 950    | 70      | 170      | <a href="#">DACH-U8006515040</a> |
| 650    | 10            | 89      | U80       | 380     | 50     | 890    | 950    | 70      | 170      | <a href="#">DACH-U8006510050</a> |
| 650    | 15            | 89      | U80       | 380     | 50     | 890    | 950    | 70      | 170      | <a href="#">DACH-U8006515050</a> |
| 650    | 10            | 108,133 | U80       | 380     | 60     | 890    | 950    | 70(100) | 170(200) | <a href="#">DACH-U8006510060</a> |
| 650    | 15            | 108,133 | U80       | 380     | 60     | 890    | 950    | 70(100) | 170(200) | <a href="#">DACH-U8006515060</a> |
| 800    | 10            | 63,5    | U80       | 465     | 40     | 1090   | 1150   | 70      | 170      | <a href="#">DACH-U8008010040</a> |
| 800    | 15            | 63,5    | U80       | 465     | 40     | 1090   | 1150   | 70      | 170      | <a href="#">DACH-U8008015040</a> |
| 800    | 10            | 89      | U80       | 465     | 50     | 1090   | 1150   | 70      | 170      | <a href="#">DACH-U8008010050</a> |
| 800    | 15            | 89      | U80       | 465     | 50     | 1090   | 1150   | 70      | 170      | <a href="#">DACH-U8008015050</a> |
| 800    | 10            | 108,133 | U80       | 465     | 60     | 1090   | 1150   | 70(100) | 170(200) | <a href="#">DACH-U8008010060</a> |
| 800    | 15            | 108,133 | U80       | 465     | 60     | 1090   | 1150   | 70(100) | 170(200) | <a href="#">DACH-U8008015060</a> |

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899  
e-mail: [gkt@gktupesy.cz](mailto:gkt@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

|      |    |         |      |     |    |      |      |         |          |                  |
|------|----|---------|------|-----|----|------|------|---------|----------|------------------|
| 800  | 10 | 63,5    | U100 | 465 | 40 | 1090 | 1150 | 70      | 170      | DACH-U1008010040 |
| 800  | 15 | 63,5    | U100 | 465 | 40 | 1090 | 1150 | 70      | 170      | DACH-U1008015040 |
| 800  | 10 | 89      | U100 | 465 | 50 | 1090 | 1150 | 70      | 170      | DACH-U1008010050 |
| 800  | 15 | 89      | U100 | 465 | 50 | 1090 | 1150 | 70      | 170      | DACH-U1008015050 |
| 800  | 10 | 108,133 | U100 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | DACH-U1008010060 |
| 800  | 15 | 108,133 | U100 | 465 | 60 | 1090 | 1150 | 70(100) | 170(200) | DACH-U1008015060 |
| 1000 | 10 | 89      | U100 | 600 | 50 | 1290 | 1350 | 70      | 170      | DACH-U1010010050 |
| 1000 | 15 | 89      | U100 | 600 | 50 | 1290 | 1350 | 70      | 170      | DACH-U1010015050 |
| 1000 | 10 | 108     | U100 | 600 | 60 | 1290 | 1350 | 70      | 170      | DACH-U1010010060 |
| 1000 | 15 | 108     | U100 | 600 | 60 | 1290 | 1350 | 70      | 170      | DACH-U1010015060 |
| 1000 | 10 | 133     | U100 | 600 | 70 | 1290 | 1350 | 100     | 200      | DACH-U1010010070 |
| 1000 | 15 | 133     | U100 | 600 | 70 | 1290 | 1350 | 100     | 200      | DACH-U1010015070 |
| 1000 | 10 | 89      | U120 | 600 | 50 | 1290 | 1350 | 70      | 170      | DACH-U1210010050 |
| 1000 | 15 | 89      | U120 | 600 | 50 | 1290 | 1350 | 70      | 170      | DACH-U1210015050 |
| 1000 | 10 | 108     | U120 | 600 | 60 | 1290 | 1350 | 70      | 170      | DACH-U1210010060 |
| 1000 | 15 | 108     | U120 | 600 | 60 | 1290 | 1350 | 70      | 17       | DACH-U1210015060 |
| 1000 | 10 | 133,159 | U120 | 600 | 70 | 1290 | 1350 | 100     | 200(220) | DACH-U1210010070 |
| 1000 | 15 | 133,159 | U120 | 600 | 70 | 1290 | 1350 | 100     | 200(220) | DACH-U1210015070 |
| 1200 | 10 | 89      | U100 | 700 | 50 | 1540 | 1600 | 60      | 170      | DACH-U1012010050 |
| 1200 | 15 | 89      | U100 | 700 | 50 | 1540 | 1600 | 60      | 170      | DACH-U1012015050 |
| 1200 | 10 | 108     | U100 | 700 | 60 | 1540 | 1600 | 70      | 190      | DACH-U1012010060 |
| 1200 | 15 | 108     | U100 | 700 | 60 | 1540 | 1600 | 70      | 190      | DACH-U1012015060 |
| 1200 | 10 | 133,159 | U100 | 700 | 70 | 1540 | 1600 | 100     | 220      | DACH-U1012010070 |
| 1200 | 15 | 133,159 | U100 | 700 | 70 | 1540 | 1600 | 100     | 220      | DACH-U1012015070 |
| 1200 | 10 | 89      | U120 | 700 | 50 | 1540 | 1600 | 60      | 170      | DACH-U1212010050 |
| 1200 | 15 | 89      | U120 | 700 | 50 | 1540 | 1600 | 60      | 170      | DACH-U1212015050 |
| 1200 | 10 | 108     | U120 | 700 | 60 | 1540 | 1600 | 70      | 190      | DACH-U1212010060 |
| 1200 | 15 | 108     | U120 | 700 | 60 | 1540 | 1600 | 70      | 190      | DACH-U1212015060 |
| 1200 | 10 | 133,159 | U120 | 700 | 70 | 1540 | 1600 | 100     | 220      | DACH-U1212010070 |
| 1200 | 15 | 133,159 | U120 | 700 | 70 | 1540 | 1600 | 100     | 220      | DACH-U1212015070 |
| 1400 | 10 | 108     | U120 | 800 | 60 | 1740 | 1800 | 70      | 190      | DACH-U1214010060 |
| 1400 | 15 | 108     | U120 | 800 | 60 | 1740 | 1800 | 70      | 190      | DACH-U1214015060 |
| 1400 | 10 | 133     | U120 | 800 | 70 | 1740 | 1800 | 70      | 190      | DACH-U1214010070 |
| 1400 | 15 | 133     | U120 | 800 | 70 | 1740 | 1800 | 70      | 190      | DACH-U1214015070 |
| 1400 | 10 | 159     | U120 | 800 | 80 | 1740 | 1800 | 100     | 220      | DACH-U1214010080 |
| 1400 | 15 | 159     | U120 | 800 | 80 | 1740 | 1800 | 100     | 220      | DACH-U1214015080 |
| 1400 | 10 | 108     | U140 | 800 | 60 | 1740 | 1800 | 70      | 190      | DACH-U1414010060 |
| 1400 | 15 | 108     | U140 | 800 | 60 | 1740 | 1800 | 70      | 190      | DACH-U1414015060 |
| 1400 | 10 | 133     | U140 | 800 | 70 | 1740 | 1800 | 70      | 190      | DACH-U1414010070 |
| 1400 | 15 | 133     | U140 | 800 | 70 | 1740 | 1800 | 70      | 190      | DACH-U1414015070 |
| 1400 | 10 | 159     | U140 | 800 | 80 | 1740 | 1800 | 100     | 220      | DACH-U1414010080 |
| 1400 | 15 | 159     | U140 | 800 | 80 | 1740 | 1800 | 100     | 220      | DACH-U1414015080 |
| 1600 | 10 | 108     | U140 | 900 | 60 | 1990 | 2050 | 70      | 190      | DACH-U1416010070 |
| 1600 | 15 | 108     | U140 | 900 | 60 | 1990 | 2050 | 70      | 190      | DACH-U1416015060 |
| 1600 | 10 | 133     | U140 | 900 | 70 | 1990 | 2050 | 70      | 190      | DACH-U1416010070 |
| 1600 | 15 | 133     | U140 | 900 | 70 | 1990 | 2050 | 70      | 190      | DACH-U1416015070 |
| 1600 | 10 | 159     | U140 | 900 | 80 | 1990 | 2050 | 100     | 220      | DACH-U1416010080 |
| 1600 | 15 | 159     | U140 | 900 | 80 | 1990 | 2050 | 100     | 220      | DACH-U1416015080 |
| 1600 | 10 | 108     | U160 | 900 | 60 | 1990 | 2050 | 70      | 190      | DACH-U1616010060 |
| 1600 | 15 | 108     | U160 | 900 | 60 | 1990 | 2050 | 70      | 190      | DACH-U1616015060 |
| 1600 | 10 | 133     | U160 | 900 | 70 | 1990 | 2050 | 70      | 190      | DACH-U1616010070 |
| 1600 | 15 | 133     | U160 | 900 | 70 | 1990 | 2050 | 70      | 190      | DACH-U1616015070 |

GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republik, Tel.: +420 572 520 880-9, Fax: +420 520 899

e-mail: [gkt@gktupesy.cz](mailto:gkt@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)





# FÖRDERANLAGEN - BELT CONVEYORS GTK PÁSOVÉ DOPRAVNÍKY

GTK, spol s r.o., CZ-687 07 TUPESY 116, okres Uherské Hradiště, Česká republika

Tel.: +420 572 520 880-9, Fax: +420 572 520 899

|      |    |         |      |      |    |      |      |          |          |                         |
|------|----|---------|------|------|----|------|------|----------|----------|-------------------------|
| 1600 | 10 | 159     | U160 | 900  | 80 | 1990 | 2050 | 100      | 220      | <i>DACH-U1616010080</i> |
| 1600 | 15 | 159     | U160 | 900  | 80 | 1990 | 2050 | 100      | 220      | <i>DACH-U1616015080</i> |
| 1600 | 10 | 159     | U180 | 900  | 80 | 1990 | 2050 | 100      | 220      | <i>DACH-U1816010080</i> |
| 1600 | 15 | 159     | U180 | 900  | 80 | 1990 | 2050 | 100      | 220      | <i>DACH-U1816015080</i> |
| 1600 | 10 | 194,219 | U180 | 900  | 90 | 1990 | 2050 | 100(130) | 220(270) | <i>DACH-U1816010090</i> |
| 1600 | 15 | 194,219 | U180 | 900  | 90 | 1990 | 2050 | 100(130) | 220(270) | <i>DACH-U1816015090</i> |
| 1800 | 10 | 133     | U160 | 1000 | 70 | 2190 | 2250 | 100      | 240      | <i>DACH-U1618010070</i> |
| 1800 | 15 | 133     | U160 | 1000 | 70 | 2190 | 2250 | 100      | 240      | <i>DACH-U1618015070</i> |
| 1800 | 10 | 159     | U180 | 1000 | 80 | 2190 | 2250 | 100      | 240      | <i>DACH-U1818010080</i> |
| 1800 | 15 | 159     | U180 | 1000 | 80 | 2190 | 2250 | 100      | 240      | <i>DACH-U1818015080</i> |
| 1800 | 10 | 194,219 | U200 | 1000 | 90 | 2190 | 2250 | 130      | 270      | <i>DACH-U2018010090</i> |
| 1800 | 15 | 194,219 | U200 | 1000 | 90 | 2190 | 2250 | 130      | 270      | <i>DACH-U2018015090</i> |
| 2000 | 10 | 133     | U180 | 1100 | 70 | 2440 | 2500 | 100      | 240      | <i>DACH-U1820010070</i> |
| 2000 | 15 | 133     | U180 | 1100 | 70 | 2440 | 2500 | 100      | 240      | <i>DACH-U1820015070</i> |
| 2000 | 10 | 159     | U180 | 1100 | 80 | 2440 | 2500 | 100      | 240      | <i>DACH-U1820010080</i> |
| 2000 | 15 | 159     | U180 | 1100 | 80 | 2440 | 2500 | 100      | 240      | <i>DACH-U1820015080</i> |
| 2000 | 10 | 159     | U200 | 1100 | 80 | 2440 | 2500 | 100      | 240      | <i>DACH-U2020010080</i> |
| 2000 | 15 | 159     | U200 | 1100 | 80 | 2440 | 2500 | 100      | 240      | <i>DACH-U2020015080</i> |
| 2000 | 10 | 194,219 | U220 | 1100 | 90 | 2440 | 2500 | 130      | 270      | <i>DACH-U2220010090</i> |
| 2000 | 15 | 194,219 | U220 | 1100 | 90 | 2440 | 2500 | 130      | 270      | <i>DACH-U2220015090</i> |



GTK spol. s r.o., CZ-68707 Tupesy 116, Czech Republic, Tel.: +420 572 520 880-9, Fax: +420 520 899  
e-mail: [gtk@gktupesy.cz](mailto:gtk@gktupesy.cz), [www.gktupesy.cz](http://www.gktupesy.cz)

